




Silicon Carbide Schottky Diode

	0
(+)	1
	+

Features

+1



Typical Applications

&
&

&
(

&
&


Mechanical Data

Package , ,

&

&

Terminals
Polarity



Maximum Ratings , °C

PARAMETER	SYMBOL	UNIT	VALUE
			+0 +
			0
			0
			0
			+(
			1
			+2
			,0
			,0
			-(-
	&		+1

+))

(+ &1 , -

(& (

((



YJD106504DG1


Electrical Characteristics

PARAMETER	SYMBOL	UNIT	TEST CONDITIONS	Typ.	Max.
			& ,	+(+(
			& +1	+(1	
			0 & ,	-	,
			0 & +1	,	
			& , &	+(
			& +	, +	
			, & +	,	
			& +	+2	
				+(


Thermal Characteristics , °C

PARAMETER	SYMBOL	UNIT	Value
)	, (,

Typical Characteristics



+(



, (

,)



+(& +1 , -

(& (

((





YJD106504DG1





(-)

(-)



(-)

(-)



(-)

(-)

(-)

(+ & 1, -)


(& (

((



YJD106504DG1

Outline Dimensions



Dimensions in millimeters

	0	0.1
	(+)	(0
	+(+2
	0	0
	+(+(
	, +00	, -00
	(00	(20
	Φ +(Φ +(-
	(0	(2
	, (, (
		(
	2	, (
	, 1-	- (2
	(-	(2
	((
	(+	(
		(

)

(+ & 1
+
, -

(& (((

